

2026

Portable Monitor

19 Years Tablet PC and Laptop Factory

Verified-Pro Supplier

BSCI ISO CE ROHS FCC



PRODUCT SPECIFICATIONS

P140

14.0-inch portable monitor

14.0 in

SCREEN SIZE

1920 x 1080

RESOLUTION

About 300

BRIGHTNESS, CD/M²

508 g

MONITOR WEIGHT



DISPLAY

PANEL	14.0 in IPS, hard coating
RESOLUTION	1920 x 1080 / 16:10
TOUCH SCREEN	N/A
COLOR	45% NTSC / 262K colors
BRIGHTNESS	About 300 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	60 Hz

BUILD & SYSTEM

CASE STAND	Leather case stand included
SHELL	Plastic
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	508 g (775 g with case)
SIZE	311 x 205 x 11 mm
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English / Spanish optional

CONNECTIVITY & POWER

I/O PORTS	2 x Type-C (1 charging, 1 full function) 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
INPUT	5V / 2A
WIRELESS	N/A
PHONE	Yes (DP function required)
ACCESSORIES	HDMI to Mini HDMI cable x1 5V2A power adapter x1 C to C cable*1

PRODUCT SPECIFICATIONS

P150

15.6-inch portable monitor

15.6 in	1920 x 1080	210-250	740 g
SCREEN SIZE	RESOLUTION	BRIGHTNESS, CD/M²	MONITOR WEIGHT

DISPLAY

PANEL	15.6 in IPS
RESOLUTION	1920 x 1080 / 16:09
TOUCH SCREEN	N/A
COLOR	45% NTSC / 262K colors
BRIGHTNESS	About 210-250 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	60 Hz

BUILD & SYSTEM

STAND	Adjustable stand
SHELL	Plastic
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	740 g
SIZE	354.70 x 221.40 x 10.9 mm
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English / Spanish optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C (1 charging, 1 full function) 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
INPUT	5V / 2A
WIRELESS	N/A
PHONE	Yes (DP function required)
ACCESSORIES	HDMI to Mini HDMI cable x1 5V2W power adapter x1 C to C Cable*1

PRODUCT SPECIFICATIONS

P150T

15.6-inch touch portable monitor

15.6 in

SCREEN SIZE

1920 x 1080

RESOLUTION

230

BRIGHTNESS, CD/M²

740 g

MONITOR WEIGHT

DISPLAY

PANEL	15.6 in IPS
RESOLUTION	1920 x 1080 / 16:09
TOUCH SCREEN	Yes
COLOR	60% NTSC / 262K colors
BRIGHTNESS	230 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	60 Hz

BUILD & SYSTEM

STAND	Adjustable stand
SHELL	Plastic (metal optional)
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	740 g
SIZE	354.70 x 221.40 x 10.9 mm
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C 1 x Mini HDMI / 1 x audio
CONNECTION	Type-C / HDMI cable
INPUT	5V / 2.4A
WIRELESS	N/A
PHONE	Partial support, e.g. Samsung / Huawei

PRODUCT SPECIFICATIONS

P160B

16-inch WUXGA touch monitor

16 in	1920 x 1200	300	822 g
SCREEN SIZE	RESOLUTION	BRIGHTNESS, CD/M²	MONITOR WEIGHT

DISPLAY

PANEL	16 in IPS, hard coating
RESOLUTION	1920 (RGB) x 1200 / 16:10
TOUCH SCREEN	Yes
COLOR	100% NTSC / 262K colors
BRIGHTNESS	300 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	60 Hz

BUILD & SYSTEM

SHELL	Plastic
SHELL TYPE	Leather case
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	822 g
SIZE	354 x 239 x 14
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
CONNECTION	Type-C / HDMI cable
INPUT	5V / 2.4A
PHONE	Partial support, e.g. Samsung / Huawei

PRODUCT SPECIFICATIONS

P160C

16-inch 2.5K touch monitor

16 in

SCREEN SIZE

2560 x 1600

RESOLUTION

300

BRIGHTNESS, CD/M²

822 g

MONITOR WEIGHT

DISPLAY

PANEL	16 in IPS, hard coating
RESOLUTION	2560 x 1600, 2.5K / 16:10
TOUCH SCREEN	Yes
COLOR	100% sRGB / 262K colors
BRIGHTNESS	300 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	60 Hz (120 Hz optional)

BUILD & SYSTEM

SHELL	Plastic
SHELL TYPE	Leather case
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	822 g
SIZE	354 x 239 x 14
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
CONNECTION	Type-C / HDMI cable
INPUT	5V / 2.4A
PHONE	Partial support, e.g. Samsung / Huawei

PRODUCT SPECIFICATIONS

P160A

16-inch touch portable monitor

16 in

SCREEN SIZE

1920 x 1080


RESOLUTION

300

BRIGHTNESS, CD/M²

822 g

MONITOR WEIGHT



DISPLAY

PANEL16 in IPS, hard coating

RESOLUTION1920 (RGB) x 1200 / 16:10

TOUCH SCREENYes

COLOR100% sRGB / 262K colors

BRIGHTNESS300 cd/m²

VIEWING ANGLEFull viewing angle, 178°

REFRESH RATE60 Hz

BUILD & SYSTEM

SHELLPlastic

SHELL TYPEStand

SPEAKERSBuilt-in speakers, 8Ω 1W

WEIGHT822 g

SIZE354 x 239 x 14 mm

BATTERYN/A

G-SENSORN/A

LANGUAGESChinese / English optional

CONNECTIVITY & POWER

I/O PORTS2 x Type-C
1 x Mini HDMI / 1 x audio

CHARGINGType-C

CONNECTIONType-C / HDMI cable

INPUT5V / 2.4A

PHONEPartial support, e.g. Samsung / Huawei

PRODUCT SPECIFICATIONS

P185

18.5-inch 100 Hz portable monitor


18.5 in	1920 x 1080	240-300	1.15 kg
SCREEN SIZE	RESOLUTION	BRIGHTNESS, CD/M²	MONITOR WEIGHT

DISPLAY

PANEL	18.5 in IPS, hard coating
RESOLUTION	1920 x 1080 / 16:09
TOUCH SCREEN	Yes
COLOR	100% sRGB / 262K colors
BRIGHTNESS	240-300 cd/m²
VIEWING ANGLE	Full viewing angle, 178°
REFRESH RATE	100 Hz

BUILD & SYSTEM

SHELL	Plastic + metal stand
SHELL TYPE	Stand
SPEAKERS	Built-in speakers, 8Ω 1W
WEIGHT	1.15 kg
SIZE	424 x 252 x 15 mm
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
CONNECTION	Type-C / HDMI cable
INPUT	5V / 2.4A
PHONE	Partial support, e.g. Samsung / Huawei

PRODUCT SPECIFICATIONS

P238

23.8-inch high-refresh portable monitor

23.8 in

SCREEN SIZE

1920 x 1080

RESOLUTION

200-250

BRIGHTNESS, CD/M²

2.23 kg


MONITOR WEIGHT

DISPLAY

PANEL	23.8 in IPS, hard coating
RESOLUTION	1920 x 1080 (2.5K / 4K optional)
TOUCH SCREEN	N/A (optional)
COLOR	99% sRGB / 16.7M colors
ASPECT RATIO	16:09
BRIGHTNESS	200-250 cd/m² / 178°
REFRESH RATE	120 / 144 Hz

BUILD & SYSTEM

SHELL	Plastic + metal
SHELL TYPE	Stand
SPEAKERS	Built-in speakers, 6Ω 1W
WEIGHT	2.23 kg
SIZE	542.7 x 323.2 x 17 mm
BATTERY	N/A
G-SENSOR	N/A
LANGUAGES	Chinese / English optional



CONNECTIVITY & POWER

I/O PORTS	2 x Type-C 1 x Mini HDMI / 1 x audio
CHARGING	Type-C
CONNECTION	Type-C / HDMI cable
INPUT	5-20V, 2.25A adapter
PHONE	Partial support, e.g. Samsung / Huawei