

2026

Tablet PC

19 Years Tablet PC and Laptop Factory

Verified-Pro Supplier

BSCI ISO CE ROHS FCC



PRODUCT SPECIFICATIONS

TK-E7A333

Tablet computer

A333	Android16	3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A333
Frequency	Five core 1.75GHz
OS	Android16
Display	Dimensions: 191.55*109.48*10.55MM Screen Size: 7 Inch Screen Resolution: IPS 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E700

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E720

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E733

Tablet computer

MTK6735	Android7.0	1GB/2GB	8GB/16GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6735
Frequency	Quad-core ARM® Cortex®-A53 1.3GHz
OS	Android7.0
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	1GB/2GB
ROM	8GB/16GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.0
WIFI	802.11a/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E770-7731G

Tablet computer

7731G	Android7.0	1GB/2GB	16GB/32GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum 7731G
Frequency	Quad-core 1.3GHz
OS	Android7.0
Display	Screen Size: 7 Inch Screen Resolution: IPS 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 0.3MP Rear : 0.3MP/2MP
RAM	1GB/2GB
ROM	16GB/32GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 2000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth 4.0
WIFI	802.11/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E740

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E7A523

Tablet computer

A523	Android 13/14/15/16	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A523
Frequency	Octa-Core Arm Cortex-A55, up to 2.0GHz
OS	Android13/14/15/16
Display	Dimensions: 188.75*108.45*9.8MM Screen Size: 7 Inch Screen Resolution: IPS 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E750

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh



CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E760

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10A133

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 10.1 Inch Screen Resolution: IPS 1280*800
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *2
Battery	3.7V 4000mAh

CONNECTIVITY & POWER


BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10A523

Tablet computer

A523	Android 13/14/15/16	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A523
Frequency	Octa-Core Arm Cortex-A55, up to 2.0GHz
OS	Android13/14/15/16
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 inches Screen Resolution: IPS 1280*800
Screen	Capacitive panel, multi-point touch,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *2BOX
Battery	3.7V 5000mAh

CONNECTIVITY & POWER


BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E88GC

Tablet computer

MTK6750	Android10	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6750
Frequency	Octa-core ARM® Cortex-A53 operating at 1.5GHz
OS	Android10
Display	Dimensions: 208.9*120.1*8.6mm Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP/5.0MP Rear : 5.0MP/13.0MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD: B1/B3/ B5/B7/B8/B20/B28
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E9863

Tablet computer

SC9863A	Android11	2GB/3GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	SC9863A
Frequency	Octa-Core Arm Cortex-A55, up to 1.6GHz
OS	Android11
Display	Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP/5.0MP Rear : 5.0MP/13.0MP
RAM	2GB/3GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 4000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth4.2 /5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*1 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E79GC

Tablet computer

MT6739CW	Android9	1GB/2GB	16GB/32GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MT6739CW
Frequency	Quad-core 1.5GHz
OS	Android9
Display	Dimensions: 188.4*108.3*9.0mm Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	1GB/2GB
ROM	16GB/32GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1(B2/B5/B8) 4G: LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth 4.2
WIFI	802.11a/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*1(Micro SIM) USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E77GC

Tablet computer

7731E	Android11	1GB/2GB	16GB/32GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum 7731E
Frequency	Quad-core 1.3GHz
OS	Android11
Display	Dimensions: 188.7*108.4*9.6mm Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 0.3MP Rear : 0.3MP/2MP
RAM	1GB/2GB
ROM	16GB/32GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 2800mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1(B2/B5/B8)
BlueTooth	Bluetooth 4.2
WIFI	802.11/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*1(Micro SIM) USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E86GC

Tablet computer

MTK6753	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6753
Frequency	Octa-core ARM® Cortex-A53 operating at 1.5GHz
OS	Android8.1
Display	Dimensions: 208.9*120.1*8.6mm Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E89GC

Tablet computer

MTK6753	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6753
Frequency	Octa-core ARM® Cortex-A53 operating at 1.5GHz
OS	Android8.1
Display	Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 8.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 3000mAh

CONNECTIVITY & POWER


Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack DC
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E89GCN

Tablet computer

MTK6737	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6737
Frequency	Quad Core 1.3GHz
OS	Android8.1
Display	Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 8.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack DC
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E8T310

Tablet computer

T310	Android	4GB	64GB/128GB
CPU	13/14/15/16	RAM	ROM
	OS		



PERFORMANCE & SYSTEM

CPU	Spreadtrum T310
Frequency	Quad core, One A75/2.0Ghz + Three A55/1.8Ghz
OS	Android13/14/15/16
Display	Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch, G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP/5.0MP Rear : 5.0MP/13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*1
Battery	3.7V 4000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*1 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E8A133

Tablet computer

A133	Android13	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android13
Display	Screen Size: 8 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch, G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 4000mAh



CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E8A523

Tablet computer

A523	Android 13/14/15/16	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A523
Frequency	Octa-Core Arm Cortex-A55, up to 2.0GHz
OS	Android13/14/15/16
Display	Dimensions: 126.3*211.3*9.6MM Screen Size: 8 inches Screen Resolution: IPS 1280*800
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *2BOX
Battery	3.7V 4000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.2/5.2/5.4
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10C-6753

Tablet computer

MTK6753	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MTK6753
Frequency	Octa-core ARM® Cortex-A53 operating at 1.5GHz
OS	Android8.1
Display	Dimensions: 243.9*164.1*10.2mm Screen Size: 10.1 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+G,

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 6000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10C-6755

Tablet computer

MTK6755	Android10	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6755
Frequency	Octa-core ARM® Cortex-A53 MPCore™ operating at 4x2.0GHz+4x1.2GHz
OS	Android10
Display	Dimensions: 243.9*164.1*10.2mm Screen Size: 10.1 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+G,

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10C-6762

Tablet computer

MTK6762	Android11	4GB/6GB	64GB/128GB/ 256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6762
Frequency	Octa-core ARM® Cortex-A53 operating at 4x2.0GHz+4x1.5GHz
OS	Android11
Display	Dimensions: 243.9*164.1*10.2mm Screen Size: 10.1 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,G+G,

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*2
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10L

Tablet computer

A133	Android10	2GB	32GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android10
Display	Dimensions: 172mm*242mm*10mm Screen Size: 10 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch, G+G

MEMORY & MULTIMEDIA

RAM	2GB
ROM	32GB
Speaker&MIC	stereo speakers 8Ω/1W *2
Battery	NA
BlueTooth	Bluetooth4.2

CONNECTIVITY & POWER

WIFI	802.11a/b/g/n
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB Headphone: 3.5mm stereo phone jack DC: micro USB
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10R

Tablet computer

RK3128/RK3288	Android 6.0/8.1	1GB/2GB/4GB	16GB/32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	RK3128 Quad core cortex A7(Rk3288)	
OS	Android 6.0(8.1)	
Display	Panel: 10.1"LCD IPS panel	Resolution: 1280*800
Screen	10-Point capacitive touch G+G	
Camera	2.0M/P,front camera	

MEMORY & MULTIMEDIA

RAM	1GB(2GB,4Gb)	
ROM	16GB(32GB 64GB)	
Speaker&MIC	Speaker: 2*1W	Mic: Standard single microphone
Network	RJ45,10M/100M	
BlueTooth	Bluetooth 4.0	

CONNECTIVITY & POWER

WIFI	802.11b/g/n	
I/O ports	Card slot: TF, up to 32GB USB: USB slave USB Host: USB host *2 HDMI: HDMI output Power: DC power input Earphone: 3.5mm earphone+micphone USB: USB for serial (RS232 format) RJ45: Ethernet interface (POE function IEEE802.3at,POE+,class 4, 25.5W)	
Accessory/Optional	yes	
Color	White/black	
Charger	Adapter,12V/1.5A	
Languages	Multi-language	
Other Function	NFC 13.56MHz,ISO14443A/ISO14443B/ISO15693/Mifare classic/Sony felica	

PRODUCT SPECIFICATIONS

TK-E101GCM

Tablet computer

MTK6737	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6737
Frequency	Quad Core 1.3GHz
OS	Android8.1
Display	Dimensions: 240.7*167.6*9.6MM Screen Size: 10.1 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch,G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20/B40
BlueTooth	Bluetooth4.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E102D

Tablet computer

A133	Android12	2GB/3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A133
Frequency	Quad-core ARM CortexTM-A53, up to 1.5 GHz
OS	Android12
Display	Dimensions: 247.0*165.5*10.5mm Screen Size: 10.1 Inch Screen Resolution: IPS 800*1280
Screen	Capacitive panel, multi-point touch, G+P,G+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP/5MP Rear : 5MP/13MP
RAM	2GB/3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth5.0
WIFI	802.11a/b/g/n (:2.4G + 5G wifi)
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm jack DC: DC_ \$ 3.5 5V2A
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P50

Tablet computer

MTK6750	Android8.1	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6750
Frequency	Octa-core ARM® Cortex-A53 MPCore™ operating at 1.5GHz
OS	Android8.1
Display	Dimensions: 242.8*161.6*9mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD: B1/B3/ B5/B7/B8/B20/B28
BlueTooth	Bluetooth4.2
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E108GC

Tablet computer

9863A	Android12	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum 9863A
Frequency	Quad-core A55 1.6Ghz+Quad-core A55 1.2GHz
OS	Android12
Display	Screen Size: 10.1 Inch Screen Resolution: 1280*800
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *2
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-TDD:B40 LTE-FDD:B1/B3/ B7/B8/B20
BlueTooth	Bluetooth4.2 /5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 256GB SIM Card: SIM*2 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E10T310

Tablet computer

T310	Android13/14/ 15/16	4GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T310
Frequency	Quad core, One A75/2.0Ghz + Three A55/1.8Ghz
OS	Android13/14/15/16
Display	Screen Size: 10.1 Inch Screen Resolution: incell 800*1280
Screen	Capacitive panel, multi-point touch, incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 5000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P86 6755

Tablet computer

MTK6755	Android10	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6755
Frequency	Octa-core ARM® Cortex-A53 MPCore™ operating at 4x2.0GHz+4x1.2GHz
OS	Android10
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD: B1/B3/ B5/B7/B8/B20/B28
BlueTooth	Bluetooth4.2
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P86 T310

Tablet computer

T310	Android13/14/15/16	4GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T310
Frequency	Quad core, One A75/2.0Ghz + Three A55/1.8Ghz
OS	Android13/14/15/16
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P86 6762

Tablet computer

MTK6762	Android11/13	4GB/6GB	64GB/128GB/ 256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6762
Frequency	Octa-core ARM® Cortex-A53 operating at 4x2.0GHz+4x1.5GHz
OS	Android11/13
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-TDD: B38/B40/B41 LTE-FDD: B1/B3/B5/B7/B8/B20/B28A
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P- sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P96

Tablet computer

T606	Android 14/15/16	4GB/6GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T606
Frequency	Dual-core A75 1.6GHz Six-core A55 1.6GHz
OS	Android 14/15/16
Display	Dimensions: 242.8*161.6*9mm Screen Size: 10.36 Inch Screen Resolution: 1200*2000 incell
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA: B34/B39 LTE-TDD: B38/B39/B40/B41 LTE-FDD: B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P98

Tablet computer

MT8788V/WA	Android12/13	8GB	128GB/256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MT8788V/WA
Frequency	2.0GHz A73 Quad + 2.0GHz A53 Quad, 64bit
OS	Android12/13
Display	Dimensions: 242.8*161.6*9mm Screen Size: 10.36 Inch Screen Resolution: 1200*2000 incell
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP/13.0MP Rear : 5.0MP/8.0MP/13.0MP
RAM	8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8R/1W *2 BOX
Battery	3.7V/6000mAh &3.8V 6800mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G FDD-LTE: B1 B3 B5 B7 B8 B20 B28 B38 B39 B40 B41 (Full Band) EU Version: B1/B3/B7/B20 US Version: B2(B25)/B4(B66)/B7/B13/B17(B12) Asia Version: B1/B3/B8/B26(B18/B19) /B28A/B China Version: B1/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Fingerprint
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm stereo phone jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V 2A

PRODUCT SPECIFICATIONS

TK-E20M

Tablet computer

MT8788V/WA	Android13	8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MT8788V/WA
Frequency	2.0GHz A73 Quad + 2.0GHz A53 Quad, 64bit
OS	Android13
Display	Dimensions: 242.8*161.6*9mm Screen Size: 10.36 Inch Screen Resolution: 1200*2000 incell
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP/13.0MP Rear : 5.0MP/8.0MP/13.0MP
RAM	8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8R/1W *2 BOX
Battery	3.7V/6000mAh &3.8V 6800mAh

CONNECTIVITY & POWER


Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G FDD-LTE: B1 B3 B5 B7 B8 B20 B28 B38 B39 B40 B41 (Full Band) EU Version: B1/B3/B7/B20 US Version: B2(B25)/B4(B66)/B7/B13/B17(B12) Asia Version: B1/B3/B8/B26(B18/B19) /B28A/B China Version: B1/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Fingerprint
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm stereo phone jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V 2A

PRODUCT SPECIFICATIONS

TK-P616

Tablet computer

T616	Android13/14/ 15/16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T616
Frequency	Dual-core A75 2.0Ghz+Six-core A55 1.8GHz
OS	Android13/14/15/16
Display	Dimensions: 246.4*161.5*7.4mm Screen Size: 10.51 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W *4 BOX
Battery	3.8V 7000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA:B34/B39 LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P97

Tablet computer

MTK6769	Android12/13/14	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6769
Frequency	Octa-core ARM® 2xCortex-A75 +6xCortex-A55 operating at 2x 2.0GHz+6x1.7GHz
OS	Android12/13/14
Display	Dimensions: 242.8*161.6*9mm Screen Size: 10.36 Inch Screen Resolution: 1200*2000 incell
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P617

Tablet computer

T606	Android13/14/15/16	4GB/6GB/8GB	64GB/128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T606
Frequency	Dual-core A75 1.6GHz Six-core A55 1.6GHz
OS	Android13/14/15/16
Display	Dimensions: 256.5*168*7.6mm Screen Size: 10.95 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: Support
RAM	4GB/6GB/8GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.8V/3.85V 8000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA: B34/B39 LTE-TDD: B38/B39/B40/B41 LTE-FDD: B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P1095

Tablet computer

T606	Android 14/15/16	4GB	128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T606
Frequency	Dual-core A75 1.6GHz Six-core A55 1.6GHz
OS	Android 14/15/16
Display	Dimensions: 258*169.6*8.0mm Screen Size: 10.95 Inch Screen Resolution: 800*1280 90Hz
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.8V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA: B34/B39 LTE-TDD: B38/B39/B40/B41 LTE-FDD: B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P1197

Tablet computer

T616	Android14/15/16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	Spreadtrum T616
Frequency	Dual-core A75 2.0Ghz+Six-core A55 1.8GHz
OS	Android14/15/16
Display	Dimensions: 278.5*174*7.5mm Screen Size: 11.97 Inch Screen Resolution: 1200*2000
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W *4 BOX
Battery	3.8V/3.87V 8000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA:B34/B39 LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E20M-MTK6769

Tablet computer

MTK6769

CPU

Android14


OS

6GB

RAM

128GB

ROM



PERFORMANCE & SYSTEM

CPU	MTK6769
Frequency	Octa-core ARM® 2xCortex-A75 +6xCortex-A55 operating at 2x 2.0GHz+6x1.7GHz
OS	Android14
Display	Dimensions: 278.78*174.3*7.45mm Screen Size: 11.97 Inch Screen Resolution: incell 1200*2000
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.7V 8000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Handwriting
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P617-T616

Tablet computer

T616	Android13/14/ 15/16	4GB/6GB/8GB	64GB/128GB/ 256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T616
Frequency	Dual-core A75 2.0Ghz+Six-core A55 1.8GHz
OS	Android13/14/15/16
Display	Dimensions: 256.5*168*7.6mm Screen Size: 10.95 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: Support
RAM	4GB/6GB/8GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.8V/3.85V 8000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA: B34/B39 LTE-TDD: B38/B39/B40/B41 LTE-FDD: B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E140A

Tablet computer

MTK6762	Android11	4GB/6GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6762
Frequency	Octa-core ARM® Cortex-A53 operating at 4x2.0GHz+4x1.5GHz
OS	Android11
Display	Screen Size: 14 Inch Screen Resolution: 1920*1080
Screen	Capacitive panel, multi-point touch,G+G

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 10000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-TDD: B38/B40/B41 LTE-FDD: B1/B3/B5/B7/B8/B20/B28A
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E140B

Tablet computer

T616	Android14/15	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	Spreadtrum T616
Frequency	Dual-core A75 2.0Ghz+Six-core A55 1.8GHz
OS	Android14/15
Display	Dimensions: 324.5*213.4*8.4mm Screen Size: 14 Inch Screen Resolution: 1200*1920
Screen	Capacitive panel, multi-point touch,G+G

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W *4 BOX
Battery	3.85V 10000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA:B34/B39 LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E140B-2K

Tablet computer

T616	Android14/15	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	Spreadtrum T616
Frequency	Dual-core A75 2.0Ghz+Six-core A55 1.8GHz
OS	Android14/15
Display	Dimensions: 324.5*213.4*8.4mm Screen Size: 14 Inch Screen Resolution: 2240*1400
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W *4 BOX
Battery	3.85V 10000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA:B34/B39 LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E215

Tablet computer

MTK8183	Android 12	4GB	64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK8183 octa-core 4*ARM Cortex A73@2.0GHz 4*ARM Cortex A53@2.0GHz
OS	Android 12
Display	Screen Size: 22inch Resolution: 1080x1920 IPS
Screen	Point of touch: 10-point capacitive touch screen Multiple touch points: 10
RAM	4GB

MEMORY & MULTIMEDIA

ROM	64GB
Speaker&MIC	Speaker: Bulid- in 40 2.SW*2 Mic input: external microphone input Mic: Noise reduction MIC 4015
Battery	12V 6000MAH
WIFI	Support
Sensor	Support 90°

CONNECTIVITY & POWER

I/O ports	Support full function (except charging function)
Button	Power/Volume+/Volume-
Accessory/Optional	Movable base, 360'rotation adjustment
Charger	12V 2A
Other Function	Wireless projection screen, on-line projection screen

PRODUCT SPECIFICATIONS

TK-A733-13.4

Tablet computer

A733	Android16	6GB/8GB/12GB	64GB/128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A733
Frequency	Octa-core ARM® 2*A76+6*A55 UP to 2.0GHz
OS	Android16
Display	Dimensions: 309*201*7.9mm Screen Size: 13.4 Inch Screen Resolution: incell 1920*1200
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB/8GB/12GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 8000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth5.4
WIFI	802.11b/g/n/ac/ax
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P1095 A733

Tablet computer

A733

CPU

Android16

OS

6GB/8GB/12GB

RAM

64GB/128GB/
256GB
ROM



PERFORMANCE & SYSTEM

CPU	A733
Frequency	Octa-core ARM® 2*A733+6*A55 UP to 2.0GHz
OS	Android16
Display	Dimensions: 258*169.6*8mm Screen Size: 10.95 Inch Screen Resolution: incell 1920*1200
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB/8GB/12GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 8000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth5.4
WIFI	802.11b/g/n/ac/ax
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P1270

Tablet computer

MT6789/MT8781V	Android16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MT6789/MT8781V
Frequency	2*A76@2.2Ghz+6*A55@2.0Ghz
OS	Android16
Display	Dimensions: 280.4*211.6*7.5mm Screen Size: 12.7 Inch Screen Resolution: 1600*2176
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8R/1W *4 BOX
Battery	3.8V/3.85V 10000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P11

Tablet computer

MTK6789/MTK8781/ G99 CPU	Android15 OS	8GB RAM	128GB ROM
--------------------------------	-----------------	------------	--------------



PERFORMANCE & SYSTEM

CPU	MTK6789(MTK8781)/G99
Frequency	Octa-core ARM® 2xCortex-A76 +6xCortex-A55 operating at 2x 2.2GHz+6x2.0GHz
OS	Android15
Display	Dimensions: 257*184.9*8.1mm Screen Size: 11 Inch Screen Resolution: incell 1600*2300 120HZ
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	8GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 7000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Handwriting
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E780

Tablet computer

MTK6735	Android8.1	1GB	16GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6735
Frequency	Quad-core ARM® Cortex®-A53 1.3GHz
OS	Android8.1
Display	Screen Size: 7 Inch Screen Resolution: 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 0.3MP Rear : 2MP
RAM	1GB
ROM	16GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 2500mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth4.0
WIFI	802.11b/g
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 32GB USB: MICRO USB Headphone: 3.5mm stereo phone jack DC: DC2.5mm
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P11-MTK6769

Tablet computer

MTK6769	Android16	6GB	128GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MTK6769
Frequency	Octa-core ARM® 2xCortex-A75 +6xCortex-A55 operating at 2x 2.0GHz+6x1.7GHz
OS	Android16
Display	Dimensions: 248.7*179.6*7.5mm Screen Size: 11 Inch Screen Resolution: incell 1280*1840
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 7000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-F11

Tablet computer

MTK6769	Android16	6GB	128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK6769
Frequency	Octa-core ARM® 2xCortex-A75 +6xCortex-A55 operating at 2x 2.0GHz+6x1.7GHz
OS	Android16
Display	Dimensions: 263.8*175.6*9.8mm Screen Size: 10.95 Inch Screen Resolution: incell 1200×1920
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.7V 7000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E7A537

Tablet computer

A537	Android16	3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	A537
Frequency	2*Cortex-A73+6*Cortex-A53 up to1.8GHz(A537PX 2.0GHz)
OS	Android16
Display	Screen Size: 7 Inch Screen Resolution: IPS 1024*600
Screen	Capacitive panel, multi-point touch,P+G

MEMORY & MULTIMEDIA

Camera	Front : 2MP Rear : 5MP
RAM	3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W *1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

BlueTooth	Bluetooth5.2/5.4
WIFI	802.11b/g/n/ac/ax
Sensor	G-sensor M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB USB: Type-C*1 Headphone: 3.5mm stereo phone jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-Z17-T310

Tablet computer

T310	Android13/14/15/16	4GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T310
Frequency	Quad core, One A75/2.0Ghz + Three A55/1.8Ghz
OS	Android13/14/15/16
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-S11-T7300

Tablet computer

T7300	Android16	6GB/8GB	64GB/128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T7300
Frequency	Octa-core ARM®2 x A78@2.2GHz + 6 x A55@2.0GHz
OS	Android16
Display	Dimensions: 246.95*177.84*7.4mm Screen Size: 11 Inch Screen Resolution: 1600*2300 90Hz
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	64GB/128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.85V 8000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.4
WIFI	802.11b/g/n/ac/ax
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Handwriting
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-Q09E-6755

Tablet computer

MTK6755	Android10	2GB/4GB	32GB/64GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MTK6755
Frequency	Octa-core ARM® Cortex-A53 MPCore™ operating at 4x2.0GHz+4x1.2GHz
OS	Android10
Display	Dimensions: 240.0*159*7.8mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	2GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-TDD: B34/B38/B39/B40/B41 LTE-FDD: B1/B3/ B5/B7/B8/B20/B28
BlueTooth	Bluetooth4.2
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-Z17-8766

Tablet computer

MTK 8766	Android13	4GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MTK 8766
Frequency	Quad core, 4* A53 operating at 2.0GHz
OS	Android13
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth4.2
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-FS03-T310

Tablet computer

T310	Android13/14/15/16	4GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T310
Frequency	Quad core, One A75/2.0Ghz + Three A55/1.8Ghz
OS	Android13/14/15/16
Display	Screen Size: 10.1 Inch Screen Resolution: incell 800*1280
Screen	Capacitive panel, multi-point touch, incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 5000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P11T

Tablet computer

6300/MT6835T	Android16	8GB	256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	Dimensity 6300/(MT6835T)
Frequency	Octa-core ARM®2 x A76@2.4GHz + 6 x A55@2.0GHz
OS	Android16
Display	Dimensions: 257.7mm*169.2mm*9.4mm Screen Size: 10.95 Inch Screen Resolution: incell 1200*1920
Screen	Capacitive panel, multi-point touch, incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 8.0MP
RAM	8GB
ROM	256GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.8V 8000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B 5G: N77/N78/N79
BlueTooth	Bluetooth5.2
WIFI	802.11a/b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-S100-MTK6769

Tablet computer

MTK6769	Android16	6GB	128GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MTK6769
Frequency	Octa-core ARM® 2xCortex-A75 +6xCortex-A55 operating at 2x 2.0GHz+6x1.7GHz
OS	Android16
Display	Dimensions: 256.67*174.27*13.7mm Screen Size: 10.95 Inch Screen Resolution: incell 1200*1920
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	6GB
ROM	128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX+4Ω/3W*2 BOX
Battery	3.85V 10000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.0
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P1197G

Tablet computer

MTK6789/MTK8781/ G99 CPU	Android15/16 OS	6GB/8GB RAM	128GB/256GB ROM
--------------------------------	--------------------	----------------	--------------------



PERFORMANCE & SYSTEM

CPU	MTK6789(MTK8781)/G99
Frequency	Octa-core ARM® 2xCortex-A76 +6xCortex-A55 operating at 2x 2.2GHz+6x2.0GHz
OS	Android15/16
Display	Dimensions: 278.5*174*7.5mm Screen Size: 11.97 Inch Screen Resolution: 1200*2000
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W *4 BOX
Battery	3.8V 8000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: TD-SCDMA:B34/B39 LTE-TDD:B38/B39/B40/B41 LTE-FDD:B1/B2/B3/ B4/ B5/B7/B8/B12/B17/B20/B25/B26/B28/B66
BlueTooth	Bluetooth5.0/5.2
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-X132-T7300

Tablet computer

T7300	Android16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T7300
Frequency	Octa-core ARM®2 x A78@2.2GHz + 6 x A55@2.0GHz
OS	Android16
Display	Dimensions: 298.28*202.5*7.6mm Screen Size: 13.2 inch Screen Resolution: 1600*2400 60Hz
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP assistant: No Rear : 13.0MP Rear
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.8V 10000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.4
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Handwriting
I/O ports	Memory Card: 1xT-Flash scard up to 1TB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E8t610

Tablet computer

T610	Android16	4GB/6GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T610
Frequency	Octa-core ARM®2×Cortex-A75 @1.8GHz + 6×Cortex-A55 @1.8GHz
OS	Android16
Display	Dimensions: 211.3*126.3*9.0mm Screen Size: 8 inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+P G+G

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 4000mAh

CONNECTIVITY & POWER


Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11a/b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*1 USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-P1315

Tablet computer

MT6789/MT8781V	Android16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	MT6789/MT8781V
Frequency	2*A76@2.2Ghz+6*A55@2.0Ghz
OS	Android16
Display	Dimensions: 290*212*7.5mm Screen Size: 13.15 Inch Screen Resolution: 1600*2240 120HZ
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP Rear assistant: 2.0MP
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8R/1W *2 BOX
Battery	3.8V/3.85V 10000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: B1/B2/B3/B5/B8/B38/B39/B40/B41
BlueTooth	Bluetooth5.2
WIFI	802.11.ac/a/b/g/n
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-P86-T610

Tablet computer

T610	Android16	4GB/6GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T610
Frequency	Octa-core ARM®2×Cortex-A75 @1.8GHz + 6×Cortex-A55 @1.8GHz
OS	Android16
Display	Dimensions: 242.1*160.9*8.5mm Screen Size: 10.1 Inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,G+G,G+FF

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 5000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11a/b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E12-T610

Tablet computer

T610	Android16	4GB/6GB	64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T610
Frequency	Octa-core ARM®2×Cortex-A75 @1.8GHz + 6×Cortex-A55 @1.8GHz
OS	Android16
Display	Dimensions: 257*169*8.0mm Screen Size: 10.95 inch Screen Resolution: 800*1280
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP Rear : 13.0MP
RAM	4GB/6GB
ROM	64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*2 BOX
Battery	3.7V 6000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11a/b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-DP1315-T7300

Tablet computer

T7300	Android16	6GB/8GB	128GB/256GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	Spreadtrum T7300
Frequency	Octa-core ARM®2 x A78@2.2GHz + 6 x A55@2.0GHz
OS	Android16
Display	Dimensions: 291.02*212.76*7.5mm Screen Size: 13.15 inch Screen Resolution: 1600*2240 60Hz
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 5.0MP assistant: No Rear : 13.0MP Rear
RAM	6GB/8GB
ROM	128GB/256GB
Speaker&MIC	stereo speakers 8Ω/1W*4 BOX
Battery	3.8V 10000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.4
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope Handwriting
I/O ports	Memory Card: 1xT-Flash scard up to 1TB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: 3.5mm jack Keyboard (docking)
Accessory/Optional	Support
Charger	5V/2A(9V/2A PD fast charging)

PRODUCT SPECIFICATIONS

TK-E7-T610

Tablet computer

T610	Android16	3GB/4GB/6GB	32GB/64GB/128GB
CPU	OS	RAM	ROM



PERFORMANCE & SYSTEM

CPU	Spreadtrum T610
Frequency	Octa-core ARM®2×Cortex-A75 @1.8GHz + 6×Cortex-A55 @1.8GHz
OS	Android16
Display	Dimensions: 175.48*98.74*8.4mm Screen Size: 7 inch Screen Resolution: 720*1280
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	3GB/4GB/6GB
ROM	32GB/64GB/128GB
Speaker&MIC	stereo speakers 8Ω/1W*1
Battery	3.7V 3000mAh

CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B2/B5/B8 4G: LTE-FDD: B1/B3/ B5/B7/B8/B20A/B20B
BlueTooth	Bluetooth5.0
WIFI	802.11a/b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor
I/O ports	Memory Card: 1xT-Flash scard up to 512GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A

PRODUCT SPECIFICATIONS

TK-E7-6755

Tablet computer

MTK6755	Android10	3GB/4GB	32GB/64GB
CPU	OS	RAM	ROM

PERFORMANCE & SYSTEM

CPU	MTK6755
Frequency	Octa-core ARM® Cortex-A53 MPCore™ operating at 4x2.0GHz+4x1.2GHz
OS	Android10
Display	Dimensions: 175.48*98.74*8.4mm Screen Size: 7 inch Screen Resolution: 720*1280
Screen	Capacitive panel, multi-point touch,incell

MEMORY & MULTIMEDIA

Camera	Front : 2.0MP Rear : 5.0MP
RAM	3GB/4GB
ROM	32GB/64GB
Speaker&MIC	stereo speakers 8Ω/1W*1
Battery	3.7V 3000mAh



CONNECTIVITY & POWER

Network	GSM: B2/B3/B5/B8 WCDMA: B1/B5/B8 4G: LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD: B1/B3/ B5/B7/B8/B20/B28
BlueTooth	Bluetooth4.2
WIFI	802.11b/g/n/ac
Sensor	G-sensor: G-Sensor(3 axis) M-sensor L-sensor P-sensor HALL Gyroscope
I/O ports	Memory Card: 1xT-Flash scard up to 128GB SIM Card: SIM*2&SIM*1+T-Flash*1(nano SIM) USB: Type-C*1 Headphone: Type-C jack
Accessory/Optional	Support
Charger	5V/2A